



## NOTIFICATION

### OF CONFORMITY TO TYPE BASED ON QUALITY ASSURANCE OF THE PRODUCTION PROCESS (Translation)

(1)

(2) Equipment or protective systems or components intended for use in potentially explosive atmospheres - **Directive 2014/34/EU**

(3) Notification number: **PTB 99 ATEX Q010-8**

(4) Product group(s): Canned motor pumps and vacuum pumps in the decisive types of protection "Protection by constructional safety", "Protection by control of ignition source", "Flameproof Enclosure", „Oil Immersion" and "Increased Safety", Monitoring devices in the decisive types of protection "Intrinsic Safety" and „Encapsulation"

The list of products covered by this notification is held as a separate list under the responsibility of the Notified Body.

(5) Manufacturer: **HERMETIC-Pumpen GmbH  
Gewerbestraße 51, 79194 Gundelfingen, Germany**

(6) Manufacturing locations: **HERMETIC-Pumpen GmbH  
Gewerbestraße 51, 79194 Gundelfingen, Germany**

(7) The Physikalisch-Technische Bundesanstalt (PTB), Notified Body No. 0102 for Annex IV in accordance with Article 21 of the Council Directive 2014/34/EU of February 26, 2014 notifies to the applicant that the manufacturer has a production quality system which complies with Annex IV of the Directive.

This quality system in compliance with Annex IV of the Directive also meets the requirements of Annex VII, CONFORMITY TO TYPE BASED ON PRODUCT QUALITY ASSURANCE.

(8) This notification is based on audit report No. 20-52090, issued on June 5, 2020. This notification is valid until June 1, 2023 and can be withdrawn if the manufacturer no longer satisfies the requirements of Annex IV.

**Results of periodical reassessments of the quality system are part of this notification.**

(9) According to Article 16 (3) of the Directive 2014/34/EU the CE mark shall be followed by the identification Number 0102 of PTB as the Notified Body involved in the production control stage.

Konformitätsbewertungsstelle, Sektor Explosionsschutz

Braunschweig, June 16, 2020

On behalf of PTB:

  
Dipl.-Ing. M. Graube



Sheet 1/1